Aircraft Door Barriers
Airbus A330 | A340

Photo Credit to: Jori Samonen

Aircraft Door Barriers
Airbus A330 | A340

Drallim Industries Limited | Millwood House | Drury Lane | St. Leonards-on-Sea | East Sussex | TN38 9BA | Tel: +44(0)1424 205140
Email: sales@drallim.com | Web: www.drallim.com

The Drallim Group
Leading innovators in technology and quality

Rev 03

Aircraft Door Barriers
Airbus A330 | A340

- Open Doors, access panels and hatches on parked airplanes can be potential safety hazards for airline personnel unaware of the opening.
- For the AIRBUS A330 | A340 there are two Aircraft Door Barriers, Part no. 514CA29 fits to Door 1L and 1R. The other Part no. 515CA29 fits to Doors 2L, 3L, 4L, 2R, 3R, 4R. See **Figure 1** for door identification and location.
- The Aircraft Door Barrier is fitted to 4 off door brackets located around each aircraft door frame. Shown in **Figure 2.**
- They are fitted into the doors of the Aircraft whilst maintenance work is carried-out in Aircraft Hangers and on runways.
- No tools are required to fit these door barriers, so they can be quickly fitted without any delay. (See instruction manual for installation details)
- The purpose of the door barrier is to provide a visual safety measure, to alert the personnel working inside of the aircraft that care should be taken when working in close proximity to door openings.
- Can be used when the doors are left open to cool the aircraft in high temperatures.



Figure 1

If you have a requirement for a different aircraft type, please contact us for more information.
For new projects, access to aircraft would be a requirement to allow for design work and trials.

Aircraft Door Barriers
Airbus A330 | A340

Top Quick Release Pin



Top spring loaded locator



Fixed Locator





With the locking pin fitted, the locators cannot be removed from the door brackets



Profile Locates inside the door bracket.

Bottom Spring Loaded Locator

Fixed Locator



Bottom Quick Release Pin

Figure 2

If you have a requirement for a different aircraft type, please contact us for more information.
For new projects, access to aircraft would be a requirement to allow for design work and trials.